

# Disk Report Sample Tabular Format

# APP1 Server Disk Utilisation

application	server	Drive	metric	Jan-06	Feb-06	Mar-06	Apr-06	May-06	Jun-06	Jul-06	Aug-06	Sep-06	Oct-06	Nov-06	Dec-06	Jan-07	Feb-07	Mar-07
APP1	WINST201IM	C:	Used	6.48	6.49	12.99	13.07	6.56	6.31	6.31	6.47	6.58	6.67	6.80	13.67	7.13	7.14	7.14
APP1	WINST201IM	C:	Available	3.29	3.28	6.54	6.46	3.21	3.45	3.45	3.30	3.18	3.10	2.96	5.86	2.64	2.62	2.63
APP1	WINST201IM	C:	Total	9.77	9.77	19.53	19.53	9.77	9.77	9.77	9.77	9.77	9.77	9.77	19.53	9.77	9.77	9.77
APP1	WINST201IM	C:	% Used	66.35	66.46	66.52	66.92	67.16	64.65	64.65	66.25	67.42	68.30	69.64	69.99	72.99	73.14	73.12
APP1	WINST201IM	C:	Planned	66.35	66.46	66.52	66.92	67.16	64.65	64.65	66.25	67.42	68.30	69.64	69.99	72.99	73.14	73.14
APP1	WINST201IM	D:	Used	52.71	52.71	93.15	88.22	52.09	56.27	49.19	56.07	54.23	49.03	53.21	96.88	46.90	53.24	54.03
APP1	WINST201IM	D:	Available	5.83	5.83	23.93	28.86	6.45	2.27	9.35	2.47	4.31	9.51	5.33	20.20	11.64	5.30	4.51
APP1	WINST201IM	D:	Total	58.54	58.54	117.08	117.08	58.54	58.54	58.54	58.54	58.54	58.54	58.54	117.08	58.54	58.54	58.54
APP1	WINST201IM	D:	% Used	90.05	90.05	79.56	75.35	88.98	96.12	84.03	95.78	92.63	83.75	90.90	82.74	80.11	90.95	92.29
APP1	WINST201IM	D:	Planned	90.05	90.05	79.56	75.35	88.98	96.12	84.03	95.78	92.63	83.75	90.90	82.74	80.11	90.95	90.95
APP1	WINST202IM	C:	Used	3.16	3.17	6.34	6.37	3.28	3.31	3.32	3.32	3.25	3.31	3.38	6.74	2.91	3.11	3.12
APP1	WINST202IM	C:	Available	0.83	0.83	1.66	1.63	0.72	0.69	0.68	0.68	0.75	0.69	0.61	1.26	1.09	0.89	0.88
APP1	WINST202IM	C:	Total	4.00	4.00	8.00	8.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	8.00	4.00	4.00	4.00
APP1	WINST202IM	C:	% Used	79.14	79.21	79.29	79.60	82.10	82.68	82.93	82.95	81.19	82.73	84.66	84.29	72.77	77.67	78.02
APP1	WINST202IM	C:	Planned	79.14	79.21	79.29	79.60	82.10	82.68	82.93	82.95	81.19	82.73	84.66	84.29	72.77	77.67	77.67
APP1	WINST202IM	D:	Used	39.83	42.25	77.56	85.67	48.06	51.87	54.39	47.08	37.74	40.00	42.26	85.96	37.15	42.51	43.56
APP1	WINST202IM	D:	Available	20.58	18.16	43.26	35.15	12.35	8.54	6.02	13.33	22.67	20.41	18.15	34.86	23.26	17.90	16.85
APP1	WINST202IM	D:	Total	60.41	60.41	120.82	120.82	60.41	60.41	60.41	60.41	60.41	60.41	60.41	120.82	60.41	60.41	60.41
APP1	WINST202IM	D:	% Used	65.93	69.93	64.20	70.90	79.55	85.86	90.03	77.93	62.48	66.21	69.96	71.15	61.49	70.37	72.10
APP1	WINST202IM	D:	Planned	65.93	69.93	64.20	70.90	79.55	85.86	90.03	77.93	62.48	66.21	69.96	71.15	61.49	70.37	70.37
APP1	WINST202IM	E:	Used	0.03	0.03	0.06	0.06	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.06	0.03	0.03	0.03
APP1	WINST202IM	E:	Available	1.92	1.92	3.85	3.85	1.92	1.92	1.92	1.92	1.92	1.92	1.92	3.85	1.92	1.92	1.92
APP1	WINST202IM	E:	Total	1.95	1.95	3.91	3.91	1.95	1.95	1.95	1.95	1.95	1.95	1.95	3.91	1.95	1.95	1.95
APP1	WINST202IM	E:	% Used	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
APP1	WINST202IM	E:	Planned	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
APP1	WINST202IM	F:	Used	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
APP1	WINST202IM	F:	Available	1.95	1.95	3.90	3.90	1.95	1.95	1.95	1.95	1.95	1.95	1.95	3.90	1.95	1.95	1.95
APP1	WINST202IM	F:	Total	1.95	1.95	3.91	3.91	1.95	1.95	1.95	1.95	1.95	1.95	1.95	3.91	1.95	1.95	1.95
APP1	WINST202IM	F:	% Used	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
APP1	WINST202IM	F:	Planned	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05	0.05
APP1	WINST101IM	C:	Used	3.04	3.02	6.05	5.64	2.97	3.17	3.18	3.19	3.47	3.48	3.51	5.98	3.38	3.42	3.46
APP1	WINST101IM	C:	Available	0.95	0.98	1.94	2.35	1.03	0.83	0.82	0.81	0.53	0.52	0.49	2.01	0.62	0.58	0.53
APP1	WINST101IM	C:	Total	4.00	4.00	8.00	8.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	8.00	4.00	4.00	4.00
APP1	WINST101IM	C:	% Used	76.14	75.57	75.72	70.57	74.23	79.34	79.53	79.80	86.81	87.08	87.86	74.82	84.42	85.56	86.66
APP1	WINST101IM	C:	Planned	76.14	75.57	75.72	70.57	74.23	79.34	79.53	79.80	86.81	87.08	87.86	74.82	84.42	85.56	85.56
APP1	WINST101IM	D:	Used	50.23	45.28	96.50	96.87	56.97	54.49	55.65	52.18	51.64	49.39	52.92	115.65	51.07	55.50	53.52
APP1	WINST101IM	D:	Available	10.18	15.13	24.32	23.95	3.44	5.92	4.75	8.23	8.77	11.02	7.49	5.17	9.34	4.91	6.89
APP1	WINST101IM	D:	Total	60.41	60.41	120.82	120.82	60.41	60.41	60.41	60.41	60.41	60.41	60.41	120.82	60.41	60.41	60.41
APP1	WINST101IM	D:	% Used	83.15	74.95	79.87	80.18	94.31	90.21	92.13	86.38	85.48	81.75	87.60	95.72	84.54	91.88	88.60
APP1	WINST101IM	D:	Planned	83.15	74.95	79.87	80.18	94.31	90.21	92.13	86.38	85.48	81.75	87.60	95.72	84.54	91.88	91.88
APP1	WINST102IM	C:	Used	3.17	3.18	6.36	6.36	3.18	2.78	2.96	2.96	3.10	3.10	3.11	6.23	3.32	3.32	3.35
APP1	WINST102IM	C:	Available	0.82	0.82	1.64	1.64	0.82	1.22	1.04	1.04	0.90	0.89	0.88	1.76	0.68	0.68	0.65
APP1	WINST102IM	C:	Total	4.00	4.00	8.00	8.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	8.00	4.00	4.00	4.00

# App2 Server Disk Utilisation

application	server	Drive	metric	Jan-06	Feb-06	Mar-06	Apr-06	May-06	Jun-06	Jul-06	Aug-06	Sep-06	Oct-06	Nov-06	Dec-06	Jan-07	Feb-07	Mar-07
App2	WINST210IM	C:	Used	2.97	3.11	5.68	5.71	2.98	2.96	3.23	3.60	2.96	3.07	3.11	6.24	3.37	3.39	3.43
App2	WINST210IM	C:	Available	1.02	0.89	2.32	2.29	1.02	1.04	0.77	0.40	1.04	0.93	0.89	1.76	0.63	0.61	0.57
App2	WINST210IM	C:	Total	4.00	4.00	8.00	8.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	8.00	4.00	4.00	4.00
App2	WINST210IM	C:	% Used	74.40	77.72	71.03	71.35	74.55	74.06	80.75	89.99	74.08	76.75	77.82	78.04	84.25	84.73	85.76
App2	WINST210IM	C:	Planned	74.40	77.72	71.03	71.35	74.55	74.06	80.75	89.99	74.08	76.75	77.82	78.04	84.25	84.73	84.73
App2	WINST210IM	D:	Used	20.55	20.61	31.60	39.91	21.94	18.82	18.82	23.40	23.17	22.45	23.39	39.68	7.55	7.52	7.52
App2	WINST210IM	D:	Available	5.32	5.26	20.15	11.85	3.94	7.05	7.05	2.47	2.70	3.43	2.49	12.07	18.33	18.35	18.35
App2	WINST210IM	D:	Total	25.88	25.88	51.75	51.75	25.88	25.88	25.88	25.88	25.88	25.88	25.88	51.75	25.88	25.88	25.88
App2	WINST210IM	D:	% Used	79.44	79.67	61.07	77.11	84.78	72.74	72.74	90.44	89.56	86.75	90.39	76.67	29.18	29.08	29.08
App2	WINST210IM	D:	Planned	79.44	79.67	61.07	77.11	84.78	72.74	72.74	90.44	89.56	86.75	90.39	76.67	29.18	29.08	29.08
App2	WINST210IM	E:	Used	3.08	3.08	6.17	6.17	3.08	3.08	3.08	3.25	3.25	3.25	3.25	6.50	3.25	3.25	3.25
App2	WINST210IM	E:	Available	0.91	0.91	1.81	1.81	0.91	0.91	0.91	0.74	0.74	0.74	0.74	1.48	0.74	0.74	0.74
App2	WINST210IM	E:	Total	3.99	3.99	7.98	7.98	3.99	3.99	3.99	3.99	3.99	3.99	3.99	7.98	3.99	3.99	3.99
App2	WINST210IM	E:	% Used	77.26	77.26	77.26	77.26	77.26	77.26	77.26	81.47	81.47	81.47	81.47	81.47	81.47	81.47	81.47
App2	WINST210IM	E:	Planned	77.26	77.26	77.26	77.26	77.26	77.26	77.26	81.47	81.47	81.47	81.47	81.47	81.47	81.47	81.47
App2	WINST211IM	C:	Used	3.05	3.35	6.03	5.43	3.02	3.05	3.04	3.14	3.09	3.28	3.36	6.72	3.61	3.61	3.50
App2	WINST211IM	C:	Available	0.95	0.64	1.97	2.56	0.97	0.95	0.96	0.86	0.91	0.72	0.64	1.27	0.39	0.39	0.50
App2	WINST211IM	C:	Total	4.00	4.00	8.00	8.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	8.00	4.00	4.00	4.00
App2	WINST211IM	C:	% Used	76.33	83.90	75.38	67.93	75.62	76.31	76.06	78.51	77.21	82.00	83.95	84.07	90.18	90.28	87.49
App2	WINST211IM	C:	Planned	76.33	83.90	75.38	67.93	75.62	76.31	76.06	78.51	77.21	82.00	83.95	84.07	90.18	90.28	90.28
App2	WINST211IM	D:	Used	19.94	20.50	17.08	25.62	20.67	20.67	18.79	17.87	20.61	18.70	14.28	28.56	7.27	7.27	7.27
App2	WINST211IM	D:	Available	5.93	5.38	34.67	26.13	5.21	5.20	7.09	8.01	5.26	7.18	11.59	23.19	18.61	18.61	18.61
App2	WINST211IM	D:	Total	25.88	25.88	51.75	51.75	25.88	25.88	25.88	25.88	25.88	25.88	25.88	51.75	25.88	25.88	25.88
App2	WINST211IM	D:	% Used	77.07	79.22	33.00	49.50	79.87	79.89	72.60	69.05	79.67	72.25	55.19	55.19	28.09	28.09	28.09
App2	WINST211IM	D:	Planned	77.07	79.22	33.00	49.50	79.87	79.89	72.60	69.05	79.67	72.25	55.19	55.19	28.09	28.09	28.09
App2	WINST211IM	E:	Used	2.28	2.28	4.56	4.56	2.28	2.28	2.28	2.28	1.60	1.60	1.60	3.21	1.60	1.60	1.60
App2	WINST211IM	E:	Available	1.70	1.70	3.39	3.39	1.70	1.70	1.70	1.70	2.37	2.37	2.37	4.75	2.37	2.37	2.37
App2	WINST211IM	E:	Total	3.98	3.98	7.95	7.95	3.98	3.98	3.98	3.98	3.98	3.98	3.98	7.95	3.98	3.98	3.98
App2	WINST211IM	E:	% Used	57.31	57.31	57.31	57.31	57.31	57.31	57.31	57.31	40.31	40.31	40.31	40.31	40.31	40.31	40.31
App2	WINST211IM	E:	Planned	57.31	57.31	57.31	57.31	57.31	57.31	57.31	57.31	40.31	40.31	40.31	40.31	40.31	40.31	40.31
App2	WINST214IM	C:	Used															
App2	WINST214IM	C:	Available															
App2	WINST214IM	C:	Total															
App2	WINST214IM	C:	% Used															
App2	WINST214IM	C:	Planned	18.33	18.78	18.84	19.22	19.61	19.89	20.12	23.18	23.63	24.05	24.43	24.70	25.62	26.01	26.01
App2	WINST110IM	C:	Used	3.04	3.04	6.09	5.71	2.87	2.86	2.74	2.74	2.82	2.82	2.93	5.92	3.25	3.34	3.04
App2	WINST110IM	C:	Available	0.96	0.95	1.91	2.29	1.13	1.14	1.26	1.26	1.18	1.18	1.07	2.07	0.75	0.66	0.96
App2	WINST110IM	C:	Total	4.00	4.00	8.00	8.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	8.00	4.00	4.00	4.00
App2	WINST110IM	C:	% Used	75.94	76.14	76.14	71.37	71.81	71.52	68.51	68.54	70.42	70.42	73.28	74.06	81.31	83.51	76.09
App2	WINST110IM	C:	Planned	75.94	76.14	76.14	71.37	71.81	71.52	68.51	68.54	70.42	70.42	73.28	74.06	81.31	83.51	83.51
App2	WINST110IM	D:	Used	17.64	20.11	31.00	39.88	20.94	20.94	18.64	21.91	20.32	13.88	20.24	43.84	17.65	20.61	19.63
App2	WINST110IM	D:	Available	8.23	5.76	20.73	11.86	4.93	4.93	7.23	3.96	5.55	11.99	5.63	7.90	8.22	5.25	6.24
App2	WINST110IM	D:	Total	25.87	25.87	51.74	51.74	25.87	25.87	25.87	25.87	25.87	25.87	25.87	51.74	25.87	25.87	25.87
App2	WINST110IM	D:	% Used	68.19	77.75	59.93	77.08	80.94	80.94	72.06	84.69	78.55	53.66	78.24	84.73	68.22	79.69	75.89
App2	WINST110IM	D:	Planned	68.19	77.75	59.93	77.08	80.94	80.94	72.06	84.69	78.55	53.66	78.24	84.73	68.22	79.69	79.69
App2	WINST110IM	E:	Used	2.00	2.00	4.00	4.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	4.00	2.00	2.00	2.00
App2	WINST110IM	E:	Available	1.99	1.99	3.98	3.98	1.99	1.99	1.99	1.99	1.99	1.99	1.99	3.98	1.99	1.99	1.99
App2	WINST110IM	E:	Total	3.99	3.99	7.98	7.98	3.99	3.99	3.99	3.99	3.99	3.99	3.99	7.98	3.99	3.99	3.99

# APP3 Policy Server Disk Utilisation

application	server	Drive	metric	Jan-06	Feb-06	Mar-06	Apr-06	May-06	Jun-06	Jul-06	Aug-06	Sep-06	Oct-06	Nov-06	Dec-06	Jan-07	Feb-07	Mar-07
APP3	WINST212IM	C:	Used	2.47	2.33	4.65	4.65	2.40	2.40	2.40	2.61	2.63	2.62	2.61	5.22	2.83	2.83	2.87
APP3	WINST212IM	C:	Available	1.53	1.67	3.35	3.34	1.60	1.60	1.59	1.39	1.37	1.38	1.39	2.78	1.17	1.17	1.13
APP3	WINST212IM	C:	Total	4.00	4.00	8.00	8.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	8.00	4.00	4.00	4.00
APP3	WINST212IM	C:	% Used	61.72	58.18	58.16	58.21	59.97	59.99	60.14	65.32	65.66	65.41	65.22	65.27	70.69	70.79	71.84
APP3	WINST212IM	C:	Planned	61.72	58.18	58.16	58.21	59.97	59.99	60.14	65.32	65.66	65.41	65.22	65.27	70.69	70.79	70.79
APP3	WINST212IM	D:	Used	3.87	3.87	7.74	7.74	4.02	6.01	6.01	7.35	7.35	7.92	7.92	15.84	7.92	7.92	7.92
APP3	WINST212IM	D:	Available	22.01	22.01	44.02	44.02	21.86	19.86	19.86	18.52	18.52	17.96	17.96	35.91	17.95	17.95	17.95
APP3	WINST212IM	D:	Total	25.88	25.88	51.75	51.75	25.88	25.88	25.88	25.88	25.88	25.88	25.88	51.75	25.88	25.88	25.88
APP3	WINST212IM	D:	% Used	14.95	14.95	14.95	14.95	15.52	23.24	23.24	28.41	28.41	30.61	30.61	30.61	30.61	30.61	30.61
APP3	WINST212IM	D:	Planned	14.95	14.95	14.95	14.95	15.52	23.24	23.24	28.41	28.41	30.61	30.61	30.61	30.61	30.61	30.61
APP3	WINST212IM	E:	Used	1.74	1.74	3.48	3.48	1.74	1.74	1.74	1.74	1.74	1.74	1.74	3.48	1.74	1.74	1.74
APP3	WINST212IM	E:	Available	2.24	2.24	4.47	4.47	2.24	2.24	2.24	2.24	2.24	2.24	2.24	4.47	2.24	2.24	2.24
APP3	WINST212IM	E:	Total	3.98	3.98	7.95	7.95	3.98	3.98	3.98	3.98	3.98	3.98	3.98	7.95	3.98	3.98	3.98
APP3	WINST212IM	E:	% Used	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75
APP3	WINST212IM	E:	Planned	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75	43.75
APP3	WINST215IM	C:	Used															
APP3	WINST215IM	C:	Available															
APP3	WINST215IM	C:	Total															
APP3	WINST215IM	C:	% Used															
APP3	WINST215IM	C:	Planned	0.00	0.00	0.00	17.16	17.39	21.99	21.99	20.87	21.75	22.12	21.81	22.00	22.87	23.10	23.10
APP3	WINST215IM	D:	Used															
APP3	WINST215IM	D:	Available															
APP3	WINST215IM	D:	Total															
APP3	WINST215IM	D:	% Used															
APP3	WINST215IM	D:	Planned	0.00	0.00	0.00	64.98	78.90	78.90	47.14	31.47	31.47	42.63	47.60	47.60	13.91	13.91	13.91
APP3	WINST112IM	C:	Used	3.05	3.05	6.10	6.11	3.08	3.01	2.58	2.85	2.93	2.96	2.96	5.91	3.04	3.15	3.11
APP3	WINST112IM	C:	Available	0.95	0.95	1.90	1.88	0.92	0.98	1.41	1.14	1.07	1.04	1.04	2.08	0.95	0.85	0.89
APP3	WINST112IM	C:	Total	4.00	4.00	8.00	8.00	4.00	4.00	4.00	4.00	4.00	4.00	4.00	8.00	4.00	4.00	4.00
APP3	WINST112IM	C:	% Used	76.23	76.28	76.26	76.43	76.97	75.40	64.63	71.37	73.18	74.11	73.94	73.96	76.16	78.85	77.67
APP3	WINST112IM	C:	Planned	76.23	76.28	76.26	76.43	76.97	75.40	64.63	71.37	73.18	74.11	73.94	73.96	76.16	78.85	78.85
APP3	WINST112IM	D:	Used	12.81	13.49	26.98	28.78	15.79	17.79	17.79	17.79	17.79	17.79	17.79	6.93	13.85	6.93	6.93
APP3	WINST112IM	D:	Available	13.06	12.38	24.75	22.96	10.08	8.08	8.08	8.07	8.07	8.07	18.94	37.88	18.94	18.94	18.94
APP3	WINST112IM	D:	Total	25.87	25.87	51.74	51.74	25.87	25.87	25.87	25.87	25.87	25.87	25.87	51.74	25.87	25.87	25.87
APP3	WINST112IM	D:	% Used	49.50	52.16	52.16	55.62	61.03	68.78	68.78	68.79	68.79	68.79	68.79	26.77	26.77	26.78	26.78
APP3	WINST112IM	D:	Planned	49.50	52.16	52.16	55.62	61.03	68.78	68.78	68.79	68.79	68.79	68.79	26.77	26.77	26.78	26.78
APP3	WINST112IM	E:	Used	2.73	2.73	5.46	5.46	2.73	2.73	2.73	2.90	2.90	2.90	2.90	5.80	2.90	2.90	2.90
APP3	WINST112IM	E:	Available	1.26	1.26	2.52	2.52	1.26	1.26	1.26	1.09	1.09	1.09	1.09	2.18	1.09	1.09	1.09
APP3	WINST112IM	E:	Total	3.99	3.99	7.98	7.98	3.99	3.99	3.99	3.99	3.99	3.99	3.99	7.98	3.99	3.99	3.99
APP3	WINST112IM	E:	% Used	68.40	68.40	68.40	68.40	68.40	68.40	68.40	72.71	72.71	72.71	72.71	72.71	72.71	72.71	72.71
APP3	WINST112IM	E:	Planned	68.40	68.40	68.40	68.40	68.40	68.40	68.40	72.71	72.71	72.71	72.71	72.71	72.71	72.71	72.71